

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12 4	6	((("6047377") or ("5265221") or ("6473791")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/18 16:48
S12 5	6	((("6519766") or ("6529948") or ("5970244")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/18 16:48
S12 6	0	bussiness adj logic same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S12 7	494	business adj logic same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S12 8	0	bussiness adj logic same securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S12 9	0	bussiness adj logic andsecurit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S13 0	0	bussiness adj logic and securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S13 1	0	bussiness adj logic and securit\$3 same polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S13 2	510	business adj logic and securit\$3 same polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S13 3	373	business adj logic and securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S13 4	25	business adj logic same securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S13 5	2	pluggable near3 security adj polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S13 6	8085	security near3 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S13 7	222	security near3 object and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S13 8	222	security near3 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S13 9	169	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S14 0	37	murren-\$-\$.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S14 1	27054	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S14 2	1218	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S14 3	2	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (high adj level near3 permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S14 4	131	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S14 5	131	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3) and S144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S14 6	84	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S14 7	60	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S14 8	155	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:50

EAST Search History

S14 9	54	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S15 0	12	09/135397	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S15 1	12	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3) and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S15 2	12	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 request\$3) and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S15 3	2	09/760540	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S15 4	4	"6792462"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S15 5	64	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj (layer logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S15 6	50	S155 not S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S15 7	2	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj (layer logic) and business adj layer and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S15 8	333	business adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S15 9	184	business adj layer and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S16 0	113	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S16 1	70	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and (securit\$3 polic\$3 rule permission) adj (object polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S16 2	21	security near2 object and (request\$3 with (business adj logic)) and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and (securit\$3 polic\$3 rule permission) adj (object polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S16 3	52059	(Rule security permission) near2 (based policy object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:51
S16 4	254	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S16 5	118	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S16 6	72	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission) and granul\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:51
S16 7	63	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission) and granul\$ and object adj orient\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S16 8	63	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$) and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S16 9	178	(securit\$3 polic\$3 rule permission) with business adj (logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S17 0	59	(securit\$3 polic\$3 rule permission) with business adj (logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission) and granul\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S17 1	119	S169 not S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S17 2	119	S169 not S170 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S17 3	20	(US-20010047282-\$ or US-20020065879-\$ or US-20030154172-\$ or US-20030145124-\$ or US-20030115487-\$ or US-20030023473-\$ or US-20030009357-\$).did. or (US-6473791-\$ or US-6047377-\$ or US-5265221-\$ or US-6820082-\$ or US-6016477-\$ or US-6385724-\$ or US-6487665-\$ or US-6523027-\$ or US-6560592-\$ or US-6574736-\$ or US-6601233-\$ or US-6792462-\$ or US-6442620-\$ or US-6473748-\$ or US-6779155-\$).did. or (US-6604198-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/08/18 16:48
S17 4	20	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$) and S173	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S17 5	20	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$ test\$3) and S173	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S17 6	0	713/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S17 7	1559	707/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S17 8	494	business adj logic same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S17 9	510	business adj logic and securit\$3 same polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S18 0	373	business adj logic and securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S18 1	8085	security near3 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S18 2	222	security near3 object and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S18 3	169	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S18 4	27054	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S18 5	1218	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S18 6	2	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (high adj level near3 permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S18 7	155	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S18 8	2	09/760540	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S18 9	64	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj (layer logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S19 0	333	business adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S19 1	184	business adj layer and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S19 2	113	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S19 3	52059	(Rule security permission) near2 (based policy object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S19 4	254	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S19 5	72	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission) and granul\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S19 6	0	713/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S19 7	1559	707/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S19 8	6	((("6047377") or ("5265221") or ("6473791"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/18 16:48
S19 9	6	((("6519766") or ("6529948") or ("5970244"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/18 16:48
S20 0	25	business adj logic same securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S20 1	2	pluggable near3 security adj polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S20 2	37	murren-\$-\$.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S20 3	84	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S20 4	60	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S20 5	54	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S20 6	12	09/135397	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S20 7	12	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3) and S206	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S20 8	12	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 request\$3) and S206	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S20 9	4	"6792462"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S21 0	50	S189 not S204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S21 1	2	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj (layer logic) and business adj layer and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S21 2	70	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and (securit\$3 polic\$3 rule permission) adj (object polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S21 3	21	security near2 object and (request\$3 with (business adj logic)) and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and (securit\$3 polic\$3 rule permission) adj (object polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S21 4	63	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission) and granul\$ and object adj orient\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S21 5	63	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$) and S214	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S21 6	59	(securit\$3 polic\$3 rule permission) with business adj (logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission) and granul\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S21 7	20	(US-20010047282-\$ or US-20020065879-\$ or US-20030154172-\$ or US-20030145124-\$ or US-20030115487-\$ or US-20030023473-\$ or US-20030009357-\$).did. or (US-6473791-\$ or US-6047377-\$ or US-5265221-\$ or US-6820082-\$ or US-6016477-\$ or US-6385724-\$ or US-6487665-\$ or US-6523027-\$ or US-6560592-\$ or US-6574736-\$ or US-6601233-\$ or US-6792462-\$ or US-6442620-\$ or US-6473748-\$ or US-6779155-\$).did. or (US-6604198-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/08/18 16:48
S21 8	20	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$) and S217	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S21 9	20	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$ test\$3) and S217	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S22 0	222	security near3 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S22 1	131	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S22 2	131	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3) and S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S22 3	118	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S22 4	178	(securit\$3 polic\$3 rule permission) with business adj (logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S22 5	119	S224 not S216	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S22 6	119	S224 not S216 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S22 7	2	"6820082"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S22 8	0	bussiness adj logic and securit\$3 and rule\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S22 9	1831	business adj logic and securit\$3 and rule\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S23 0	895	business adj logic and securit\$3 and rule\$1 and polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S23 1	169	business adj logic and securit\$3 and rule\$1 and polic\$3 and (pluggable plug-able changeable replaceable switchable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S23 2	54	business adj logic and securit\$3 and rule\$1 and polic\$3 and (pluggable plug-able changeable replaceable switchable) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48

EAST Search History

S23 3	0	(business adj logic) same (pluggable plug-able changeable replaceable switchable) and securit\$3 and rule\$1 and polic\$3 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S23 4	0	(business adj logic) and (pluggable plug-able changeable replaceable switchable) same securit\$3 and rule\$1 and polic\$3 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S23 5	22	(business adj logic) and (pluggable plug-able changeable replaceable switchable) same (securit\$3 rule\$1 polic\$3) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S23 6	22	(business adj logic) and (pluggable plug-able changeable replaceable switchable) same (securit\$3 rule\$1 polic\$3) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S23 7	2	726/26.ccls. and @ay <="2000" and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S23 8	228	726/26.ccls. and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48
S23 9	978	726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 16:48